Journal of Pharmaceutical and Biomedical Analysis

Volume 10,1992

Pergamon Press

Oxford · New York · Seoul · Tokyo

Journal of Pharmaceutical and Biomedical Analysis

Editor-in-Chief
Professor Anthony F. Fell Pharmaceutical Chemistry, School of Pharmacy, University of Bradford, Bradford, West Yorkshire, BD7 1DP, UK

Editor (North America)
Professor Christopher M. Riley Center for Bioanalytical Research, University of Kansas, 2095 Constant Avenue, Lawrence, KS 66046-2535, USA

Associate Editors
G. P. R. Carr 103 Cambridge Road, Girton, Cambridge, CB3 0PN, UK
A. F. Casy School of Pharmacy and Pharmacology, University of Bath, Claverton Down, Bath, BA2 7AY, UK
A. G. Davidson Medicines Testing Laboratory, 36 York Place, Edinburgh, EH1 3HU, UK
M. B. Evans School of Natural Sciences, Hatfield Polytechnic, P.O. Box 109, College Lane, Hatfield, Herts, AL10 9AB, UK
T. M. Jefferies University of Bath, School of Pharmacy and Pharmacology, Claverton Down, Bath, BA2 7AY, UK
M. A. Kral Marion Merrell-Dow Pharmaceuticals, 2110 East Galbraith Road, Cincinnati, OH 45215-6300, USA
W. J. Lough Sunderland Polytechnic, School of Pharmaceutical and Chemical Sciences, Galen Building, Green Terrace, Sunderland, SR1 3PZ, UK
G. Smith 1 la The Garlands. Scarborough, North Yorkshire, YO11 2SU, UK
J. F. Stobaugh School of Pharmacy, University of Kansas, 3006 Malott Hall, Lawrence, KS 66045-2504, USA
T. D. Wilson Product Development, R12, Bristol-Myers, 2400 W. Lloyd Expressway, Evansville, IN 47721, USA

Regional Advisory Editors
J. Crommen Institute of Pharmacy, University of Liège, Rue Fusch 5, B-4000 Liège, Belgium
E. Gelpí Department of Neurochemistry, CID-CSIC, Jorge Girona Salgado 18-26, E-08034 Barcelona, Spain
S. Görög Chemical Works of Gedeon Richter Ltd, P.O. Box 27 H-1475, Budapest 10, Hungary
J. W. Munson The Upjohn Company, Kalamazoo, MI 49001, USA
T. Nambara Hatano Research Institute, Food & Drug Safety Center, 729-5 Ochiai, Hadano, Kanagawa 257, Japan
S. Pinzauti Department of Pharmaceutical Sciences, University of Florence, Via G. Capponi 9, 50121 Firenze, Italy
D. Westerlund University of Uppsala, Biomedical Centre, Department of Analytical Pharmaceutical Chemistry, Box 574, S-751 23 Uppsala, Sweden

Editorial Advisory Board
D. H. Calam (Hertfordshire) *Chairman*
D. W. Armstrong (Rolla, MO)
W. R. G. Baeyens (Ghent)
J. C. Berridge (Sandwich)
G. Blaschke (Münster)
H. Brittain (New Brunswick, NJ)
G. D. Christian (Seattle, WA)
H. Chrystyn (Bradford)
B. J. Clark (Bradford)
V. A. Davankov (Moscow)
F. Erni (Basel)
H. Fabre (Montpellier)
C. Fenselau (Baltimore, MD)
W. S. Hancock (South San Francisco, CA)
E. H. Hansen (Lyngby)
J. Hermansson (Stockholm)
J. F. K. Huber (Vienna)
K. Imai (Tokyo)
E. Jellum (Oslo)
K. Jinno (Toyohashi)
J. W. Jorgenson (Chapel Hill, NC)
J. Kirschbaum (New Brunswick, NJ)
P. T. Kissinger (West Lafayette, IN)
I. S. Krull (Boston, MA)
W. Lindner (Graz)
H. Lingeman (Amsterdam)
A. Li Wan Po (Belfast)
K. Markides (Uppsala)
R. D. McDowall (Kent)
N. Meltzer (Nutley, NJ)
Y. Michotte (Brussels)
J. M. Midgley (Glasgow)
J. H. M. Miller (Strasbourg)
J. N. Miller (Loughborough)
Joint Founding Editor
D. E. Moore (Sydney, NSW)
E. Mutschler (Frankfurt/Main)
T. Nakagawa (Kyoto)
J. K. Nicholson (London)
M. Polášek (Hradec Králové)
M. L. Rabouhans (London)
K. Rasmussen (Oslo)
F. E. Regnier (West Lafayette, IN)
M. R. Smyth (Dublin)
J. T. Stewart (Athens, GA)
B. Testa (Lausanne)
M. Valcárcel (Córdoba)
K. Valkó (London)
J. Vessman (Gothenburg)
A. Vigevani (Milan)
J. C. Wahlich (Ware)
I. W. Wainer (Montreal)
Wang Kaimin (Beijing)
I. D. Watson (Liverpool)
S. G. Weber (Pittsburgh, PA)
I. D. Wilson (Macclesfield)
J. D. Winefordner (Gainesville, FL)

Production Editor
Paul Russell, Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW

Published monthly

Publishing, Subscription and Advertising Offices:
Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW (Tel: 0865 794141; Fax 0865 60285)

Annual Institutional Subscription Rate (1993): £455.00 (US $728.00). Sterling prices are definitive. US dollar prices are quoted for convenience only, and are subject to exchange rate fluctuation. Personal subscription rate for those whose library subscribes at the regular rate (1993) available on request. Prices include postage and insurance and are subject to change without notice. Subscription rates for Japan are available on request. Payment must be made in advance. Subscription enquiries from customers in North America should be sent to Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA, and for the remainder of the world to Pergamon Press Ltd, Headington Hill Hall, Oxford OX3 0BW, UK (Tel: 0865 794141, Fax 0865 60285).

Second class postage paid at Rahway, NJ. Postmaster send address corrections to *Journal of Pharmaceutical and Biomedical Analysis,* c/o Pergamon Press Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA.

Copyright © 1993 Pergamon Press Ltd

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors, and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

Journal of Pharmaceutical and Biomedical Analysis

Volume 10 1992

LIST OF CONTENTS

Number 1

A. F. Fell and C. M. Riley	i	Editorial
Full Papers		
T. Seto, T. Mashimo, I. Yoshiya, M. Kanashiro and Y. Taniguchi	1	The solubility of volatile anaesthetics in water at 25.0°C using ^{19}F NMR spectroscopy
I. Ahmad, W. Hussain and A. A. Fareedi	9	Photolysis of cyanocobalamin in aqueous solution
K. Sagar, J. M. Fernandez Alvarez, C. Hua, M. R. Smyth and R. Munden	17	Differential pulse voltammetric determination of sumatriptan succinate (1:1) in a tablet dosage form
M. T. French, J. N. Miller, N. J. Seare, D. R. Lachno and M. H. Yacoub	23	New fluorescent derivatives of cyclosporin for use in immunoassays
A. Vigevani, M. Zampieri and R. Pellizzato	31	Thermal behaviour and binary phase diagram of (*S*)-(+)-4,4′-(1-methyl-1,2-ethandiyl)-bis-(2,6-piper-azinedione) (dexrazoxane), a cardioprotective agent, and of its (*R*)-(−)-enantiomer
J. Martinez Calatayud and T. Garcia Sancho	37	Spectrophotometric determination of promethazine by flow injection analysis and oxidation by Ce^{IV}
A. O. Akanni and J. S. K. Ayim	43	Determination of ampicillin in the presence of cloxacillin
K. Dave, J. F. Stobaugh and C. M. Riley	49	Reversed-phase liquid chromatography of the opioid peptides—2. Quantitative structure–retention relationships and isocratic retention prediction
M. C. Gennaro and C. Abrigo	61	Separation of reduced and oxidized glutathione in a pharmaceutical preparation by ion-interaction reversed-phase HPLC
T. Ohkubo, H. Noro and K. Sugawara	67	High-performance liquid chromatographic determination of nifedipine and a trace photodegradation product in hospital prescriptions
V. Windisch, C. Karpenko and A. Daruwala	71	LC assay for salmon calcitonin in aerosol formulations using fluorescence derivatization and size exclusion chromatography
G. A. Ulsaker and G. Teien	77	Identification of caprolactam as a potential contaminant in parenteral solutions stored in overwrapped PVC bags
Y. Oda, N. Asakawa, Y. Yoshida and T. Sato	81	On-line determination and resolution of the enantiomers of ketoprofen in plasma using coupled achiral–chiral high-performance liquid chromatography
Short Communications		
A. Marsh, M. E. Carruthers, N. Desouza and M. B. Evans	89	An investigation of the effect of washing upon the morphine content of hair measured by a radioimmunoassay technique
J. A. Infantes, M. D. Luque de Castro and M. Valcárcel	95	A flow injection method for the determination of oxalate in urine based on a promoting effect

Number 2/3

Reviews

J. H. Wolf and J. Korf — 99 — 4-Bromomethyl-7-methoxycoumarin and analogues as derivatization agents for high-performance liquid chromatography determinations: a review

L. A. Berrueta, B. Gallo and F. Vicente — 109 — Biopharmacological data and high-performance liquid chromatographic analysis of 1,4-benzodiazepines in biological fluids: a review

Full Papers

M. Koyama, N. Watanabe and N. Asakawa — 137 — Radioimmunoassay for ubenimex in human serum

R. D. Farrant, J. C. Lindon, E. Rahr and B. C. Sweatman — 141 — An automatic data reduction and transfer method to aid pattern recognition analysis and classification of NMR spectra

M. Carmona, M. Silva and D. Pérez-Bendito — 145 — A selective and sensitive kinetic method for the determination of procaine and benzocaine in pharmaceuticals

T. Järvinen, P. Suhonen, S. Auriola, J. Vepsäläinen, A. Urtti and P. Peura — 153 — Synthesis and analysis of *O,O'*-dicarboxylate (dibenzyl) bispilocarpates as possible prodrugs of pilocarpine

G. Kirschner, M. Bassan, M. P. Facco, G. Ferrari and L. Callegaro — 163 — Competitive binding assay for quantitative determination of GM1 ganglioside in plasma and cerebrospinal fluid

B. Law, S. Weir and N. A. Ward — 167 — Fundamental studies in reversed-phase liquid–solid extraction of basic drugs; I: ionic interactions

B. Law and S. Weir — 181 — Fundamental studies in reversed-phase liquid–solid extraction of basic drugs; II: hydrogen bonding effects

T. Vu-Đuc and A. Vernay — 187 — A safer methylation procedure with boron trifluoride–methanol reagent for gas chromatographic analysis of ritalinic acid in urine

E. Gaetani, C. F. Laureri and M. Vitto — 193 — Ion trap detector—capillary gas chromatography of valproic acid and its mono-unsaturated metabolites in serum using methyl ester derivatives

W. Naidong, J. De Beer, X. Marcelis, P. Derese, J. H. McB. Miller and J. Hoogmartens — 199 — Collaborative study of the analysis of chlortetracycline hydrochloride by liquid chromatography on polystyrene–divinylbenzene packing materials

C. Albet, J. M. Fernandez, E. Rozman, J. A. Perez, A. Sacristan and J. A. Ortiz — 205 — Determination of sertaconazole nitrate, a new imidazole antifungal, by high-performance liquid chromatography

I. T. Kiss and K. Kovács-Hadady — 213 — Chromatographic analysis of 1,3-bis(dimethylamino)isopropyl 4-chlorophenoxyacetate dihydrochloride, a new CNS stimulant

E. F. I. A/Karim, K. E. Ibrahim, M. A. Hassabalrasoul, B. O. Saeed and R. A. Bayoumi — 219 — A study of chloroquine and desethylchloroquine plasma levels in patients infected with sensitive and resistant malaria parasites

N. C. Van de Merbel, J. M. Teule, H. Lingeman and U. A. Th. Brinkman — 225 — Dialysis as on-line sample-pretreatment technique for column liquid chromatography: influence of experimental variables upon the determination of benzodiazepines in human plasma

Short Communications

M. Surtees, D. M. Gott, Y. Yeang, K. W. Clow and M. J. Dennis — 235 — The validation of a radioimmunoassay for the quantification of eflumast in clinical samples

P. C. Dabas, H. Ergüven, M. C. Vescina and C. N. Carducci — 241 — **Stability study of ethyl loflazepate in bulk drug, solution and dosage form by liquid chromatography**

F. Gimenez, A.-F. Aubry, R. Farinotti, K. Kirkland and I. W. Wainer — 245 — **The determination of the enantiomers of halofantrine and monodesbutylhalofantrine in plasma and whole blood using sequential achiral/chiral high-performance liquid chromatography**

Number 4

Review

S. R. Narayanan — 251 — Immobilized proteins as chromatographic supports for chiral resolution

Full Papers

J. C. Cortina Villar, A. Costa García and P. Tuñón Blanco — 263 — Determination of mitoxantrone by flow injection analysis using an amperometric detector

M. R. Euerby, J. Hare and S. C. Nichols — 269 — The *S*-oxidative degradation of a novel corticosteroid tipredane (INN). Part I: preliminary investigations into the hydrogen peroxide *S*-oxidation of tipredane

Z. Zhao, W. B. Jones, K. Tepperman, J. G. Dorsey and R. C. Elder — 279 — Determination of gold-based antiarthritis drugs and their metabolites in urine by reversed-phase ion-pair chromatography with ICP-MS detection

J. He, A. Shibukawa and T. Nakagawa — 289 — Direct injection analysis of carbamazepine and its active 10,11-epoxide metabolite in plasma by use of a semipermeable surface (SPS) silica column in LC

M. Rudolph and G. Schmiedel — 295 — Analysis of [^{14}C]-saterinone and its metabolites in dog plasma, urine and bile by high-performance liquid chromatography with radioactivity and fluorescence detection and by mass spectrometry

Short Communications

Bang Qian Xu, A. Bugge, H. Gundersen, K. E. Malterud and A. S. Christophersen — 303 — Synthesis and spectroscopic studies of norethylmorphine

J. de Jong, J. B. Vermorken and W. J. F. van der Vijgh — 309 — Analysis and pharmacokinetics of a new prodrug *N*-*l*-leucyldoxorubicin and its metabolites in plasma using HPLC with fluorescence detection

315 — Erratum

Number 5

Full Papers

H. Gjerde, E. Dahlin and A. S. Christophersen — 317 — Simultaneous determination of common benzodiazepines in blood using capillary gas chromatography

M. Rudolph, W. Janssen and M. Strassner — 323 — Determination of moxonidine (BDF 5895) in plasma by gas chromatography–negative ion chemical ionization mass spectrometry

Z. Pawlak and B. J. Clark — 329 — The assay and resolution of the beta-blocker atenolol from its related impurities in a tablet pharmaceutical dosage form

J. J. Halvax, G. Wiese, W. P. van Bennekom and A. Bult — 335 — On-line phase-transfer catalysed dansylation of phenolic compounds followed by normal-phase liquid chromatography with fluorescence detection

J. M. Jacquet, M. Galtier, F. Bressolle and J. Jourdan — 343 — A sensitive and reproducible HPLC assay for doxorubicin and pirarubicin

T. Agasøster and K. E. Rasmussen — 349 — On-line dialysis, liquid chromatography and post-column reaction detection of oxytetracycline in salmon muscle extracts

Short Communications

M. B. Devani, I. T. Patel and T. M. Patel — 355 — Spectrophotometric determination of amoxycillin and its dosage forms

C. Bertucci, P. Salvadori, S. Belfiore, C. Martini and A. Lucacchini 359 Characterization of the enantiomeric 3-substituted-1,4-benzodiazepin-2-ones binding to the GABA–BDZ–chloride ionophore receptor complex

H. Kataoka, Y. Ueno and M. Makita 365 *O*-Phosphoamino acid analysis of phosphorylated proteins by gas chromatography with flame photometric detection

N. G. Camara and M. Lederer 371 The thin-layer chromatography of some organomercurial antiseptics on cellulose thin layers with aqueous solvents

M. A. Allsopp, G. J. Sewell and C. G. Rowland 375 A column-switching liquid chromatography assay for the analysis of carboplatin in plasma ultrafiltrate

Number 6

Review

A. M. Dyas 383 The chiral chromatographic separation of β-adrenoceptor blocking drugs

Full Papers

L.-G. Danielsson, L. Nord and Zhang Yu-Hui 405 Rapid determination of conditional partition constants in an FIA system

E. Uber-Bucek, M. Hamon, C. Pham Huy and H. Dadoun 413 Determination of thevetin B in serum by fluorescence polarization immunoassay

A. M. El-Brashy and S. M. El-Ashry 421 Colorimetric and titrimetric assay of isoniazid

P. Formisyn, F. Pautet, C. Tran Minh and J. Bourgois 427 Determination of 9-hydroxyellipticine by redox colorimetry

G. Cavina, L. Valvo, B. Gallinella, R. Porrà and A. L. Savella 437 The identification of related substances in 9α-fluoroprednisolone-21 acetate by means of high-performance liquid chromatography with diode array detector and mass spectrometry

J. Noroski, D. Mayo and J. J. Kirschbaum 447 Liquid chromatographic resolution of the isomers of tripredane and phenylthioproline using urea-solubilized β-cyclodextrin in the mobile phase

Short Communications

A. Fialaire, E. Postaire, P. Prognon, F. Pradier and D. Pradeau 457 Thermal decomposition of reduced glutathione in solution for organ preservation

J. E. Smith, D. Ross, A. B. Graham and G. G. Skellern 461 Isolation and characterization of the *S*-glucuronide of 4-nitrothiophenol formed by microsomal glucuronyl transferase

G. M. Wall, J. C. Kenny, T. Y. Fan, C. Schafer, M. A. Ready, J. K. Baker, P. Ritter and B. S. Scott 465 Analysis of 3- and 4-monopivaloylepinephrine, degradation products in dipivefrin hydrochloride drug substance and ophthalmic formulations

Number 7

Full Papers

C.-J. Wang, Z. Tian, K. Byrnes and C.-C. Lin 473 A competitive enzyme immunoassay for the direct determination of mometasone furoate (SCH 32088) in human plasma

M. M. Díaz De Guereñu, R. J. Barrio, A. Arranz and J. F. Arranz 481 Use of derivatization reactions with adsorptive stripping voltammetry for determining fotemustine in biological samples

B. Law and S. Weir 487 Fundamental studies in reversed-phase liquid–solid extraction of basic drugs; III: sample matrix effects

G. Pogány, T. Cserháti, J. Oláh and K. Valkó 495 Relationships between the chromatographic retention data and the effects of nucleoside derivatives in highly metastatic 3LL cells

N. H. Anderson, D. Johnston and P. R. Vojvodic 501 The enantiomeric resolution of ciprofibrate and related compounds by HPLC using chiral stationary phases

M. Doležalová 507 Ion-pair high-performance liquid chromatographic determination of morphine and pseudomorphine in injections

K. Noguchi and S. Higuchi 515 Determination of glutathione isopropyl ester in rat, dog and human blood by high-performance liquid chromatography with fluorescence detection

Short Communications

Y. K. Agrawal, K. Shivramchandra, G. N. Singh and B. E. Rao 521 Spectrophotometric determination of famotidine in pharmaceutical preparations

A. Parra, M. D. Gómez, V. Ródenas, J. Garcia-Villanova and M. L. López 525 Determination of cephradine and L-arginine in injections by second derivative ultraviolet spectrophotometry

Nie Li-Hua, Zhang Xiao-Tung and Yao Shou-Zhuo 529 Determination of quinine in some pharmaceutical preparations using a ring-coated piezoelectric sensor

J. Wang and D. E. Moore 535 A study of the photodegradation of benzydamine in pharmaceutical formulations using HPLC with diode array detection

R. B. Miller and C. Amestoy 541 A liquid chromatographic method for the determination of hydrochlorothiazide in human plasma

Number 8

Full Papers

U. Hammerling, A.-C. Henningsson and L. Sjödin 547 Development and validation of a bioassay for Interleukin-2

T. Z. Woldemariam, A. F. Fell, P. A. Linley, M. C. Bibby and R. M. Phillips 555 Evaluation of the anti-tumour action and acute toxicity of kosins from *Hagenia abyssinica*

P. Lukkari, J. Jumppanen, K. Jinno, H. Elo and M.-L. Riekkola 561 Determination of bis(amidinohydrazones) by micellar electrokinetic capillary chromatography

C. L. Stevenson; T. D. Williams, R. J. Anderegg and R. T. Borchardt 567 Identification and quantitation of tetrapeptide deamidation products by mass spectrometry

H.-M. Zhang, F.-X. Zhou and I. S. Krull 577 Comparison of 9-fluorenylmethoxycarbonyl and 9-fluoreneacetyl-tagged silica-based derivatization reagents in high-performance liquid chromatography

S. Rakotomanga, A. Baillet, F. Pellerin and D. Baylocq-Ferrier 587 Liquid chromatographic analysis of monosaccharides with phenyl-isocyanate derivatization

M. Karlsson and T. Wikberg 593 Liquid chromatographic determination of a new catechol-*O*-methyl-transferase inhibitor, entacapone, and its *Z*-isomer in human plasma and urine

Short Communications

M. Spraul, M. Hofmann, P. Dvortsak, J. K. Nicholson and I. D. Wilson 601 Liquid chromatography coupled with high-field proton NMR for profiling human urine for endogenous compounds and drug metabolites

G. C. Leo and W.-N. Wu 607 The utility of one-dimensional homonuclear Hartmann–Hahn spectroscopy (1D HOHAHA) for identifying the suprofen glucuronides fraction from an HPLC separation

Number 9

Full Papers

R. J. Tait, D. J. Skanchy, D. P. Thompson, N. C. Chetwyn, D. A. Dunshee, R. A. Rajewski, V. J. Stella and J. F. Stobaugh — 615 — Characterization of sulphoalkyl ether derivatives of β-cyclodextrin by capillary electrophoresis with indirect UV detection

A. Marzo, G. Bruno, D. Nava, C. Giubilei, E. Arrigoni Martelli, M. J. Douin, D. Chassard, A. Mignot and J. J. Thebault — 623 — Pharmacokinetics of 2-(α-thenoylthio)-propionylglycine (TTPG) in healthy volunteers—an oral dose-proportionality investigation

R. D. Coldwell, J. Nolan, D. J. H. Trafford, E. B. Mawer and H. L. J. Makin — 631 — The use of octadecyl-bonded microparticulate silica in the separation of free and bound fractions during saturation analysis of vitamin D metabolites

J. Egila, D. Littlejohn, W. E. Smith and R. D. Sturrock — 639 — Gold concentrations in blood fractions of patients with rheumatoid arthritis treated with Myocrisin

H. Fabre, H. Ibork and D. A. Lerner — 645 — Photodegradation kinetics under UV light of aztreonam solutions

F. T. Delbeke and M. Debackere — 651 — Disposition of human drug preparations in the horse. II. Orally administered fencamfamine

H. K. Lim, S. Zeng, D. M. Chei and R. L. Foltz — 657 — Comparative investigation of disposition of 3,4-(methylenedioxy)-methamphetamine (MDMA) in the rat and the mouse by a capillary gas chromatography–mass spectrometry assay based on perfluorotributylamine-enhanced ammonia positive ion chemical ionization

N. K. Jagota and J. T. Stewart — 667 — Supercritical fluid chromatography of selected oestrogens

B. V. Shetty, R. L. Schowen, M. Slavik and C. M. Riley — 675 — Degradation of dacarbazine in aqueous solution

G. Cavina, R. Alimenti, B. Gallinella and L. Valvo — 685 — The identification of related substances in triamcinolone acetonide by means of high-performance liquid chromatography with diode array detector and mass spectrometry

G. Carlucci, P. Mazzeo, L. Biordi and M. Bologna — 693 — Simultaneous determination of simvastatin and its hydroxy acid form in human plasma by high-performance liquid chromatography with UV detection

Short Communication

A. Yesilada, A. E. Theobald and R. C. Hider — 699 — Discrimination of bovine and porcine insulin by higher-order derivative UV-spectroscopy

Numbers 10–12

Special Issue: Invited Plenary, Keynote and Submitted Papers from the Fourth International Symposium on Drug Analysis, May 1992, Liège, Belgium

i — Obituary

ix — Editorial

Full Papers

S. Terabe — 705 — Selectivity manipulation in micellar electrokinetic chromatography

B. Lin Ling, W. R. G. Baeyens, P. Van Acker and C. Dewaele — 717 — Determination of ascorbic acid and isoascorbic acid by capillary zone electrophoresis: application to fruit juices and to a pharmaceutical formulation

B. J. Clark, P. Barker and T. Large	723	The determination of the geometric isomers and related impurities of dothiepin in a pharmaceutical preparation by capillary electrophoresis
E. Lamparter and Ch. Lunkenheimer	727	The automation of dissolution testing of solid oral dosage forms
S. Sarre, K. Van Belle, I. Smolders, G. Krieken and Y. Michotte	735	The use of microdialysis for the determination of plasma protein binding of drugs
L. Campanella, R. Cocco and M. Tomassetti	741	Determination of compounds with anticholinesterase activity in commercial drugs by a new enzyme sensor
L. Campanella, M. P. Sammartino, R. Sbrilli and M. Tomassetti	751	Analytical comparison of an enzyme-amperometric method for chlorocresol determination in ointments with colorimetry and liquid chromatography
M. N. M. P. Alçada, J. L. F. C. Lima and M. C. B. S. M. Montenegro	757	PVC membrane electrode without inner reference solution for the direct determination of ephedrine in pharmaceutical preparations
J.-M. Kauffmann, B. Lopez Ruiz, M. Ferrandis Gotor and G. J. Patriarche	763	Electrochemical behaviour of tizanidine at solid electrodes
G. D. Christian	769	Novel flow injection analysis systems for drug analysis
M. S. Bloomfield and K. A. Prebble	775	The determination of the preservative, chlorocresol, in a pharmaceutical formulation by flow injection analysis
M. S. Bloomfield, A. D. Dow and K. A. Prebble	779	The determination of pentavalent antimony in sodium stibogluconate in a pharmaceutical formulation by flow injection analysis
A. Kojło, H. Puzanowska-Tarasiewicz and J. Martinez Calatayud	785	Spectrophotometric determination of promazine with an oxidative column in FIA manifolds
F. Ortega, J. L. Cuevas, J. I. Centenera and E. Domínguez	789	Liquid chromatographic separation of phenolic drugs using catalytic detection: comparison of an enzyme reactor and enzyme electrode
W. Plugge and C. van der Vlies	797	The use of near infrared spectroscopy in the quality control laboratory of the pharmaceutical industry
M. Sanchez Pena, F. Salinas, M. C. Mahedero and J. J. Aaron	805	Spectrofluorimetric determination of sulphonamides in pharmaceutical compounds and foods
R. J. Ochocka, A. Marzec and H. Lamparczyk	809	Fluorescence enhancement of two terpenes commonly present in essential oils
C. Oh, J. Kim, A. Cheng and J. Michael	813	A biotin–avidin based screening test for methamphetamine in urine
D. Giron, R. Link and S. Bouissel	821	Analysis of mono-, di- and triglycerides in pharmaceutical excipients by capillary supercritical fluid chromatography
S. Görög, B. Herényi and M. Rényei	831	Estimation of impurity profiles of drugs and related materials. Part 9: HPLC investigation of flumecinol
D. Lincoln, A. F. Fell, N. H. Anderson and D. England	837	Assessment of chromatographic peak purity of drugs by multivariate analysis of diode-array and mass spectrometric data
J. Hoogmartens	845	Liquid chromatography for the quantitative analysis of antibiotics—some applications using poly(styrene-divinylbenzene)
Th. Cachet, M. Delrue, J. Paesen, R. Busson, E. Roets and J. Hoogmartens	851	Analysis of erythromycin estolate by liquid chromatography
E. Forgács and T. Cserháti	861	Dependence of the retention of some barbituric acid derivatives on a porous graphitized carbon column on their physicochemical parameters
R. B. Taylor, R. G. Reid, R. H. Behrens and I. Kanfer	867	Multidrug assay method for antimalarials
A. M. Di Pietra, V. Cavrini, V. Andrisano and R. Gatti	873	HPLC analysis of imidazole antimycotic drugs in pharmaceutical formulations

J. P. Kosonen	881	Determination of disodium clouronate in bulk material and pharmaceuticals by ion chromatography with post-column derivatization
A. Farina, A. Doldo and M. G. Quaglia	889	Analysis of new serotonergic anxiolytics by liquid chromatography
C. Vandenbosch, D. L. Massart and W. Lindner	895	Evaluation of six chiral stationary phases in LC for their selectivity towards drug enantiomers
E. De Lorenzi, A. F. Fell, G. Caccialanza, G. Massolini and M. Kitsos	909	Design of chiral LC separations for calcium antagonists on α_1-acid glycoprotein and ovomucoid columns
P. M. Lacroix, N. M. Curran and E. G. Lovering	917	Nadolol: high-pressure liquid chromatographic methods for assay, racemate composition and related compounds
L. Oliveros, C. Minguillon and C. Billaud	925	Resolution of several racemic 3-hydroxy-1,4-benzodiazepin-2-ones by high-performance liquid chromatography on a chiral silica-bonded stationary phase
J. Šalamoun and J. Remien	931	Indirect detection of anti-acetylcholinesterase compounds in microcolumn liquid chromatography using packed bed reactor with immobilized human red blood cell acetylcholinesterase and choline oxidase
Ph. Hubert, P. Chiap, A. Ceccato, I. Bechet, R. Sibenaler-Dechamps, P. Maes and J. Crommen	937	Determination of verapamil and norverapamil in human plasma by liquid chromatography: comparison between a liquid–liquid extraction procedure and an automated liquid–solid extraction method for sample preparation
I. M. Roy, T. M. Jefferies, M. D. Threadgill and G. H. Dewar	943	Analysis of cocaine, benzoylecgonine, ecgonine methyl ester, ethylcocaine and norcocaine in human urine using HPLC with post-column ion-pair extraction and fluorescence detection
G. Nicholls, B. J. Clark and J. E. Brown	949	Solid-phase extraction and optimized separation of doxorubicin, epirubicin and their metabolites using reversed-phase high-performance liquid chromatography
L. Renberg and K.-J. Hoffmann	959	Determination of a renin inhibitor in plasma by solid-phase extraction using acetone as protein binding displacer followed by on-line high-performance liquid chromatography
K. J. Dave, J. F. Stobaugh, T. M. Rossi and C. M. Riley	965	Reversed-phase liquid chromatography of the opioid peptides. 3. Development of a microanalytical system for opioid peptides involving microbore liquid chromatography, post-column derivatization and laser-induced fluorescence detection
S. Uzu, K. Imai, K. Nakashima and S. Akiyama	979	Determination of medroxyprogesterone acetate in serum by HPLC with peroxyoxalate chemiluminescence detection using a fluorogenic reagent, 4-(*N,N*-dimethylaminosulphonyl)-7-hydrazino-2,1,3-benzoxadiazole
B. Lin Ling, W. R. G. Baeyens, C. Dewaele and B. Del Castillo	985	Packed capillary liquid chromatography coupled to fluorescence detection: application to human blood samples for the determination of glutathione
M. Sokolić, V. Pokorni and F. H. Johannsen	989	Liquid chromatographic method for separation and determination of elaiophylin in biotechnology processes of salinomycin production
I. Bechet, A. Ceccato, Ph. Hubert, P. Herné and J. Crommen	995	Determination of meprobamate in pharmaceutical dosage forms also containing carbromal by liquid chromatography and indirect photometric detection
M. T. Maya, A. R. Farinha, A. M. Lucas and J. A. Morais	1001	Sensitive method for the determination of phenytoin in plasma, and phenytoin and 5-(4-hydroxyphenyl)-5-phenylhydantoin in urine by high-performance liquid chromatography
G. Szepesi and S. Nyiredy	1007	Planar chromatography: current status and future perspectives in pharmaceutical analysis—I. Applicability, quantitation and validation
S. Nyiredy and G. Szepesi	1017	Planar chromatography: current status and future perspectives in pharmaceutical analysis (Short Review)—II. Special techniques and future perspectives in planar chromatography

K. Kovács-Hadady	1025	Overpressured layer chromatographic study of retention behaviour of various benzodiazepine derivatives on layers impregnated with tricaprylmethylammonium chloride
T. Cserháti and K. Magyar	1033	Use of TLC and multivariate mathematical statistical methods to study the interaction of monoamine oxidase inhibitory drugs with amino acids
Short Communications		
P. Pietta, P. Mauri, R. Maffei Facino and M. Carini	1041	Analysis of flavonoids by MECC with ultraviolet diode array detection
J. Barbosa and V. Sanz-Nebot	1047	pH measurements in acetonitrile–water mixtures by use of a glass electrode
S. M. Golabi and D. Nematollahi	1053	Polarographic determination of doxorubicin and daunorubicin in pharmaceutical preparations and biological media
S. M. Sultan	1059	Colorimetric methods for the assay of carbimazole in drug formulations using dichromate and molybdate
Dj. Djozan and M. A. Farajzadeh	1063	The use of fluorescamine (Fluram) in fluorimetric trace analysis of primary amines of pharmaceutical and biological interest
F. Molina, J. M. Bosque-Sendra, A. Pla and L. Megías	1069	Determination of ethanol in biological samples by head-space gas chromatography
V. Kmetec	1073	Simultaneous determination of acetylsalicylic, salicylic, ascorbic and dehydroascorbic acid by HPLC
P. Pietta, P. Mauri and A. Rava	1077	Rapid liquid chromatography of terpenes in *Ginkgo biloba* L. extracts and products
M. G. Quaglia, A. Farina and E. Bossu	1081	Analysis of ICI 118551, a new β_2 blocking drug, and related compounds by RP-HPLC–DAD
P. Poukens-Renwart, M. Tits, J.-N. Wauters and L. Angenot	1085	Densitometric evaluation of spiraeoside after derivatization in flowers of *Filipendula ulmaria* (L.) Maxim.
P. Poukens-Renwart, M. Tits, J.-N. Wauters and L. Angenot	1089	Reversed-phase HPTLC densitometric evaluation of fraxin in *Fraxinus excelsior* leaves
S. V. Galushko and I. P. Shishkina	1093	Simultaneous determination of 6-azacytidine, 6-azauridine, arabinoside cytosine and arabinoside uracil in blood by liquid chromatography
M. Tits, P. Poukens, L. Angenot and Y. Dierckxsens	1097	Thin-layer chromatographic analysis of proanthocyanidins from *Ribes nigrum* leaves
A. Jankowski, A. Marzec and H. Lamparczyk	1101	Comparative bioavailability of verapamil from rapidly absorbed and slow release preparations
M. Labastie, R. Nacco and J. Cumps	1105	Tablet dissolution parameters: a statistical evaluation